CONTENTS

	Page
A New Bacterial Citrus Disease. H. Atherton Lee	1
Some Facts about Abortion Disease. E. C. Schroeder and W. E. Cotton	9
Wheat-Sheath Miner. H. L. Seamans	17
Relation of the Water-Retaining Capacity of a Soil to Its Hygroscopic Coefficient. Frederick J. Alway and Guy R. McDole	27
Absorption of Nutrients as Affected by the Number of Roots Supplied with the Nutrient. P. L. Gile and J. O. Carrero	73
Flow Through Submerged Rectangular Orifices with Modified Contractions. V. M. Cone	97
The Venturi Flume. V. M. Cone	115
Morphology of Normal Pigs' Blood. C. C. Palmer	131
Fixation of Ammonia in Soils. I. G. McBeth	141
Composition of Citrus Leaves at Various Stages of Mottling. Charles A. Jensen	157
Effects of Muscular Exercise and the Heat of the Sun on the Blood and Body Temperature of Normal Pigs. C. C. Palmer	167
Relation of the Transformation and Distribution of Soil Nitrogen to the Nutrition of Citrus Plants. I. G. McBeth	183
Effect of Decomposing Organic Matter on the Solubility of Certain Inorganic Constituents of the Soil. Charles A. Jensen	253
Xylaria Rootrot of Apple. Frederick A. Wolf and Richard O. Cromwell	269
A Comparison of the Hourly Evaporation Rate of Atmometers and Free Water Surfaces with the Transpiration Rate of Medicago sativa. Lyman J. Briggs and H. L. Shantz	277
Influence of Crop, Season, and Water on the Bacterial Activities of the Soil. J. E. Greaves, Robert Stewart, and C. T. Hirst	293
The Pink Bollworm, Pectinophora gossypiella. August Busck	343
Toxicity of Various Benzene Derivatives to Insects. William Moore	371
Hybrids of Zea ramosa and Zea tunicata. G. N. Collins	383
Eupatorium ageratoides, the Cause of Trembles. R. S. Curtis and Frederick A. Wolf	397
A Study of Methods of Estimation of Metabolic Nitrogen. E. B. Forbes, C. E. Mangels, and L. E. Morgan	405
A New Strain of Rhizoctonia solani on the Potato. J. Rosenbaum and M. Shapovalov	413
A Form of Potato Disease Produced by Rhizoctonia. Glen B. Ramsey	421
Index	427

94353°—17

ERRATA

Page 110, line 6 from bottom, $\frac{\text{"}-7.26a\text{"}}{A}$ should read $\frac{\text{"}-0.26a\text{"}}{A}$.

Page 125, line 3, "c" should read "C".

Page 424, line 5 from bottom, "D" should read "E."

ILLUSTRATIONS

PLATES

A New Bacterial Citrus Disease

Page

PLATE A. 1, 2.—Orange twigs, showing brown blister-like scabs of Citrus blast, formed in summer over affected parts. 3.—Natural infection upon young leaves of a navel-orange tree..... 8

PLATE 1. A.—Flagella of *Bacterium citrarefaciens* from 24-hour-old agar slant. B.—Filamentous bodies showing thickened areas of denser protoplasm from saccharose bouillon cultures of *Bact. citrarefaciens*. C.—Cross section of a navel-orange leaf affected with Citrus blast..... 8

PLATE 2.—Tree affected with Citrus blast, showing bared twigs and wilted leaves..... 8

Xylaria Rootrot of Apple

PLATE 3. A.—Stromatic arms formed in cultures on steamed corn meal; resembling those of certain species of Xylaria. B.—A few stromatic arms from the same culture..... 276

Comparison of the Hourly Evaporation Rate of Atmometers and Free Water Surfaces with the Transpiration Rate of Medicago sativa

PLATE 4.—Types of porus-cup atmometers used in evaporation measurements: A.—White cylinder. B.—White sphere. C.—White Bellani plate. D.—Brown cylinder..... 292

PLATE 5.—Special filter-paper evaporimeter used by the writers, equipped with Mariotte control (*a*) for the purpose of maintaining a constant water level in the filter-paper container (*b*)..... 292

PLATE 6. A.—Shallow, blackened evaporation tank mounted on automatic balance. B.—Deep evaporation tank as used at Akron, Colo..... 292

The Pink Bollworm, Pectinophora gossypiella

PLATE 7. A.—*Pectinophora gossypiella:* Adult. B.—*Pyroderces rileyi:* Adult.. 370

PLATE 8. A.—*Pectinophora gossypiella:* Right hindleg. B.—*Pectinophora gossypiella:* Genitalia of male. C.—*Pectinophora gossypiella:* Genitalia of female. D.—*Pyroderces rileyi:* Right hindleg. E.—*Pyroderces rileyi:* Genitalia of male..... 370

PLATE 9. A.—*Pectinophora gossypiella:* Larval head from underside. B.—*Pectinophora gossypiella:* Seta arrangement of epicraneum in figure A. C.—*Pectinophora gossypiella:* Labium and maxillæ..... 370

PLATE 10. A.—*Pyroderces rileyi:* Epipharynx of larva. B.—*Pyroderces rileyi:* Labrum of larva. C.—*Pyroderces rileyi:* Underside of third abdominal segment of larva. D.—*Pectinophora gossypiella:* Right mandible of larva from underside. E.—*Pectinophora gossypiella:* Left mandible from underside. F.—*Pectinophora gossypiella:* Right mandible from underside. G.—*Pectinophora gossypiella:* Left mandible from upper side. H.—*Pectinophora gossypiella:* Left antenna of larva from underside. I.—*Pectinophora gossypiella:* Epipharynx of larva. J.—*Pectinophora gossypiella:* Labrum of larva. K.—*Pectinophora gossypiella:* Underside of third abdominal segment of larva..... 370

Page

PLATE 11. A.—*Pectinophora gossypiella:* Larva. B.—*Pectinophora gossypiella:* Schematic chart of arrangement of body setæ of larva. C.—*Pyroderces rileyi:* Larva. D.—*Pyroderces rileyi:* Schematic chart of arrangement of body setæ of larva..... 370

PLATE 12. A.—*Pectinophora gossypiella:* Pupa from front. B.—*Pectinophora gossypiella:* Tip of pupa from left side. C.—*Pectinophora gossypiella:* Mature pupa, with eyes of the imago visible through pupal skin. D.—*Pectinphora gossypiella:* Pupa from back. E.—*Pyroderces rileyi:* Pupa from front. F.—*Pyroderces rileyi:* Pupa from back..... 370

HYBRIDS OF ZEA RAMOSA AND ZEA TUNICATA

PLATE 13.—*Zea tunicata:* A.—Plant of full-tunicate type. B.—Plant of half-tunicate type..... 396

PLATE 14. A.—Pistillate inflorescence of maize. B.—*Zea tunicata:* Terminal and lateral inflorescence..... 396

PLATE 15.—*Zea tunicata:* Sterile ear of full-tunicate plant..... 396

PLATE 16.—*Zea ramosa:* Staminate and pistillate inflorescence..... 396

PLATE 17.—"Cauliflower" lateral inflorescence borne on F_2 plants of *Zea ramosa* × *Zea tunicata* hybrid..... 396

PLATE 18.—Terminal inflorescence, cauliflower type of F_2 plant of *Zea ramosa* × *Zea tunicata* hybrid..... 396

PLATE 19.—Half-tunicate F_2 plant, the nearest approach found to an intermediate between normal and half tunicate..... 396

PLATE 20. A.—Terminal and lateral inflorescence of F_2 plant, showing the ear both branched and tunicate, and the tassel with only *ramosa* characters. B.—Terminal and lateral inflorescence of F_2 plant, combining both *ramosa* and *tunicata* characters..... 396

PLATE 21.—Pistillate inflorescence of F_2 plant, showing both the branched and tunicate characters..... 396

EUPATORIUM AGERATOIDES, THE CAUSE OF TREMBLES

PLATE 22.—*Eupatorium ageratoides,* or white snakeroot..... 404

PLATE 23. A.—Ewe 161 in the characteristic standing posture when trembling is quite violent. B.—The same animal with feet spread apart in an effort to stand when the tremors have become more acute..... 404

PLATE 24. A.—At this stage of trembling the animal is unable to stand and is beginning to drop. B.—Ewe 161 in the position to which she has dropped after a violent spasm of trembling..... 404

A NEW STRAIN OF RHIZOCTONIA SOLANI ON THE POTATO

PLATE 25. A.—Potato stems, showing the nature of the lesions from which isolations of *Rhizoctonia solani* were made. B.—Potato stems, showing the results of one series of inoculations..... 420

PLATE 26. A.—Reaction on corn-meal agar of R_5, as compared with the other strains. B.—A potato tuber, illustrating the results of inoculation with strain R_3. C.—An injured potato tuber (control)..... 420

A FORM OF POTATO DISEASE PRODUCED BY RHIZOCTONIA

PLATE 27. A-D.—Various stages of the "dry core" of potato tubers. E-F.—Cross sections of a tuber badly affected with Rhizoctonia..... 426

PLATE 28. A-C.—A longitudinal section through some of the cores of affected potato tubers. D.—Transverse section of a core. E-I.—"Dry cores," giving a good idea of their size and shape..... 426

Page

PLATE 29. A.—A pit slightly over 2 mm. in diameter, showing broken down cells, free starch, and fungal hyphæ. B.—Fungal hyphæ apparently penetrating the cell walls 426

PLATE 30. A.—The normal cortex and inner tissues of a potato tuber. B.—An enlarged lenticel, showing a very early stage of infection. C.—Fungal filaments and broken down cells in an infected lenticel slightly over 1 mm. in diameter. D.—A host cell highly magnified showing the interior filled with fungal hyphæ. E.—The granular contents of one of the pits as it appears under the microscope. F.—Rhizoctonia hyphæ from a pure culture isolated from the interior part of a dry core 426

TEXT FIGURES

WHEAT-SHEATH MINER

FIG. 1. Young wheat plant, showing (*a*) central stalk injured by the wheat-sheath miner, *Cerodonta femoralis;* (*b*) point where egg was laid; (*c*) mine in the leaf made by larva on its way to the sheath; other leaves normal 20

RELATION OF THE WATER-RETAINING CAPACITY OF A SOIL TO ITS HYGROSCOPIC COEFFICIENT

FIG. 1. Diagram showing the relation of the percentage of water retained to the hygroscopic coefficient and the influence of an interrupting layer of coarse sand 39

2. Diagram showing relationship between the final water content and both the hygroscopic coefficient and the moisture equivalent 48

3. Diagram showing the relative location of sets of soil samples taken from field near McCook, Nebr 62

4. Diagram showing relation of water content of the surface section to both the hygroscopic coefficient and the moisture equivalent five days after 1 inch of water had been added to the surface of columns of dry soils .. 65

ABSORPTION OF NUTRIENTS AS AFFECTED BY THE NUMBER OF ROOTS SUPPLIED WITH THE NUTRIENT

FIG. 1. Relation between portion of roots supplied with nitrogen and portion of maximum absorption attained 89

2. Possible relative rates of translocation of an element in plants with one-fourth and all their roots supplied with the element 92

FLOW THROUGH SUBMERGED RECTANGULAR ORIFICES WITH MODIFIED CONTRACTIONS

FIG. 1. Standard box for submerged rectangular orifices with modified contractions 98

2. Plan, elevation, and section of orifice box in concrete channel 100

3. Elevation and sections of standard orifice without bottom contraction .. 100

4. Elevation and sections of orifice with bottom contraction 101

5. Elevation and sections of orifice with iron gate guides 101

6. Elevation and sections of broad-edged orifice 102

7. Elevation and sections of broad-edged orifice with wood gate guides ... 102

8. Elevation and sections of broad-edged orifice with wood gate guides and wood backing 103

Page

FIG. 9. Elevation and sections of broad-edged orifice with wood gate guides moved out 6 inches 103
10. Elevation and sections of broad-edged orifice with wood gate slide and guides 103
11. Elevation and sections of standard orifice with iron gate guides and backing 104
12. Plots of exponent values of equations in Table II 104
13. Plots of constants of equations given in figure 12 104

THE VENTURI FLUME

FIG. 1. Standard plans for the Venturi flume with rectangular cross section 118
2. Discharge curves for the rectangular Venturi flume with 1-foot throat ... 118
3. Discharge curves for the rectangular Venturi flume with 1.5-foot throat .. 118
4. Discharge curves for the rectangular Venturi flume with 2-foot throat .. 118
5. Discharge curves for the V-notch Venturi flume with side slopes of ½ to 1 118
6. Standard plans for the Venturi flume with trapezoidal cross section 120
7. Plan, elevation, and sections of the V-notch Venturi flume 121
8. Sketch of the Venturi flume, showing installation in ditch 121
9. Plot of values of coefficient *C* for V-notch Venturi flume 123
10. Plot of constants for curves shown in figure 9 124
11. Plan for the trapezoidal Venturi flume with 0.5 foot bottom width, sides slopes 1 to 1 127
12. Discharge curves for the trapezoidal Venturi flume having 0.5-foot bottom width and slide slopes 1 to 1 128

FIXATION OF AMMONIA IN SOILS

FIG. 1. Diagram showing the percentage of ammonia recovered from soils with increasing amounts of ammonium sulphate were added 142

EFFECTS OF MUSCULAR EXERCISE AND THE HEAT OF THE SUN ON THE BLOOD AND BODY TEMPERATURE OF NORMAL PIGS

FIG. 1. Graphs showing the detail of leucocytic changes in the blood of one pig following muscular exercise 172
2. Graphs showing the detail of leucocytic changes in the blood of one pig following sun exposure 175

RELATION OF THE TRANSFORMATION AND DISTRIBUTION OF SOIL NITROGEN TO THE NUTRITION OF CITRUS PLANTS

FIG. 1. Diagram of Citrus Experiment Station grove, Riverside, Cal., showing the arrangement of the plots and the kind and quantity of fertilizers applied 185
2. Diagram showing the location of soil-sample borings made in studying the lateral movement of nitrates in furrow-irrigated soils 215
3. Diagram showing the distribution of nitrates in plot A before and after irrigations 216
4. Diagram showing the distribution of nitrates in plots E and B before and after irrigations 218
5. Diagram showing the distribution of nitrates in plot C before and after irrigations 219
6. Diagram showing the distribution of nitrates in plot F before and after irrigations 220
7. Diagram showing the distribution of nitrates in plot G before and after irrigations 221

Page

FIG. 8. Diagram showing the distribution of nitrates in plot H before and after irrigations 222
9. Diagram showing the distribution of nitrates in plot L before and after irrigations 223
10. Diagram showing the distribution of nitrates in plot M before and after irrigations 224
11. Diagram showing the distribution of nitrates in plot O before and after irrigations 224
12. Diagram showing the distribution of nitrates in plot Q before and after irrigations 225
13. Diagram showing the distribution of nitrates in plot R before and after irrigations 226
14. Diagram showing the distribution of nitrates in plot S before and after irrigations 227
15. Diagram showing the distribution of nitrates in plot U before and after irrigations 228
16. Diagram showing the nitrate content of the niter spots in furrow-irrigated soils 236
17. Diagram showing the nitrate content of the niter spots in furrow-irrigated soils 237
18. Diagram showing the effect of rainfall November 12, 1914, to July 15, 1915, on the distribution of nitrates in soils at Riverside, Cal 244
19. Diagram showing effect of rainfall January 7 to January 26, 1916, on the distribution of nitrates in soils at Lordsburg, Cal 246

XYLARIA ROOTROT OF APPLE

FIG. 1. Longitudinal section of a diseased apple root 272
2. *Xylaria* sp.: *a*, Hyphæ, showing the fusion occasionally noted. *b*, The conidia are hyalin, elongated oval in outline, with a blunt truncate pedicel, and measure about 10 by 3 to 3.5μ. They are borne singly as lateral buds from the sporogenous hypha 273
3. *Xylaria* sp.: Mycelium, showing (*a*) considerable variation in the filaments; *b*, *d*, the young filaments are hyalin, branched, granular, and highly refractive, with an average diameter of 2 to 3μ; *c*, *f*, the hyphæ later lose their granular contents, become brown to olivaceous in color, and numerous blunt spinulose terminals are developed; *e*, fusion of hyphæ 274

COMPARISON OF THE HOURLY EVAPORATION RATE OF ATMOMETERS AND FREE WATER SURFACES WITH THE TRANSPIRATION RATE OF MEDICAGO SATIVA

FIG. 1. Graphs showing the hourly transpiration rate of alfalfa, the hourly evaporation rate from different surfaces, and the weather conditions during a three-day period at Akron, Colo 280
2. Ratio of the transpiration rate to the evaporation rate for each of the various types of porous-cup atmometers, plotted hour by hour 282
3. Graphs showing the transpiration-evaporation ratio: *A*, The ratio of hourly transpiration to the hourly mean evaporation from the atmometers. *B*, Graph A with ordinates plotted logarithmically. *C*, The ratio of the hourly transpiration to the hourly evaporation from the shallow tank, with ordinates plotted logarithmically. *D*, Graphs B (heavy line) and C (light line) superimposed 287
4. A comparison of the hourly radiation with the hourly differences in the evaporation rate from a brown cylindrical radio-atmometer and a white atmometer of the same form 289

INFLUENCE OF CROP, SEASON, AND WATER ON THE BACTERIAL ACTIVITIES OF THE SOIL

Page

FIG. 1. Plan of plots 30G to 50G, Greenville farm, showing main flume and laterals 303

THE PINK BOLLWORM, PECTINOPHORA GOSSYPIELLA

FIG. 1. *Pectinophora gossypiella* 347
2. *Pectinophora gossypiella* 348
3. Cotton boll infested with *Pectinophora gossypiella* 351
4. Plan of the house used for observations on the behavior of the moths of the pink bollworm in relation to light 356
5. *Pyroderces rileyi:* *A*, Venation of forewing; *B*, venation of hind wing .. 363
6. *Pyroderces rileyi:* *A*, Head capsule of larva from front; *B*, head capsule of larva from side 364
7. *Pyroderces rileyi:* Right mandible of larva 365

TOXICITY OF VARIOUS BENZENE DERIVATIVES TO INSECTS

FIG. 1. Curves showing periods of time required to kill with different quantities of the different benzene derivatives 374
2. Graph showing the millionths of a gram-molecule necessary to produce the death of five house flies in a 1-liter flask at 70° F. in 400 minutes. 374
3. Curves showing the relationship between boiling point of the compound and its toxicity expressed in millionths of a gram-molecule 377
4. Graph showing the quantity of the benzene derivatives necessary to saturate 1,000 cubic feet of space at 70° F. and the time required by such quantity to kill house flies 379

A NEW STRAIN OF RHIZOCTONIA SOLANI ON THE POTATO

FIG. 1. Camera-lucida drawings of mycelium of the R_1 and R_5 strains from the same medium and culture of the same age 416
2. Camera-lucida drawings of short sclerotial cells of the R_1 and R_5 strains from cultures of the same age grown on the same medium 417
3. Camera-lucida drawings of germinating sclerotial cells of the R_7 and R_5 strains 417